


# Prep4Pass



## Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

## Choose an exam to sample

 Download Now

<http://www.prep4pass.com>

IT certification exam prep provide, High passing rate

**Exam** : **070-341**

**Title** : Core Solutions of Microsoft Exchange Server 2013

**Vendor** : Microsoft

**Version** : DEMO

**NO.1** You deploy an Exchange Server 2013 organization to a test network for evaluation. You install the Mailbox server role and the Client Access server role on a server named ex01.contoso.com. You do not perform any other configurations. All of the ports from the Internet to ex01.contoso.com are open. You successfully connect to ex01.contoso.com from the Internet and from the internal network. You need to identify which types of Exchange Server clients will connect successfully to the organization without any further configurations. What should you identify?

- A. Internal Outlook Web App connections
- B. Android Phones using Activesync
- C. Windows RT devices running the Mail app
- D. Windows Phones that use Exchange ActiveSync

**Answer:** A

## NO.2 HOTSPOT

You have an Exchange Server 2013 organization. You enable single item recovery for all users. A user named User1 accidentally deletes important email messages sent from a user named User2. User1 reports that he cannot locate the email messages in his Deleted Items folder. You need to recover the items. What command should you run? (To answer, select the appropriate options in the answer area.)

### Answer Area

\_\_\_\_\_

\_\_\_\_\_ -TargetFolder "Recovered Items"

### Answer Area

New-MailboxExportRequest Search-Mailbox Start-MailboxSearch	User1 -SentTo User1 -SourceMailbox User1	-DestinationMailbox -RecoveryMailbox -TargetMailbox
---	--	---

User1 User2 "Discovery Search Mailbox"	-MailFrom User2 -SearchQuery "FROM:User2" -Sender User2	-TargetFolder "Recovered Items"
--	---	---------------------------------

**Answer:**

**Answer Area**

New-MailboxExportRequest Search-Mailbox Start-MailboxSearch	User1 -SentTo User1 -SourceMailbox User1	-DestinationMailbox -RecoveryMailbox -TargetMailbox
User1 User2 "Discovery Search Mailbox"	-MailFrom User2 -SearchQuery FROM:User2 -Sender User2	-TargetFolder "Recovered Items"

**NO.3** You need to recommend a solution for the New York office that meets the technical requirements for client access.

What should you include in the recommendation? (Each correct answer presents a complete solution.

Choose all that apply.)

- A. DNS round robin
- B. a Layer 4 hardware load balancer
- C. a Layer 7 hardware load balancer
- D. the Network Load Balancing (NLB) feature
- E. a Client Access server array

**Answer:** C, E


**NO.4** HOTSPOT

You are evaluating a DAG design for the New York and Atlanta offices.


You need to ensure that all of the users in the New York and Atlanta offices can access their mailbox if the WAN link fails.

Which DAG design should you deploy?

To answer, select the appropriate DAG design in the answer area.



**Answer:**



**NO.5 DRAG DROP**

You need to recommend a solution to deploy the Outlook app.

Which three actions should you recommend performing in sequence?

Answer Area

Run the **\$Data=Get-Content -Path "C:\Apps\SocialMediaApp.xml" -Encoding Byte -ReadCount 0** command.

Run the **New-App -FileData \$Data** command.

Run the **Set-App** cmdlet.

Run the **Get-App** cmdlet.

Install the Outlook app.

**Answer:**

Install the Outlook app.  
Run the Get-App cmdlet.  
Run the Set-App cmdlet.

**NO.6 DRAG DROP**

You have an Exchange Server 2013 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Server role
Ex1	Mailbox server Client Access server
Ex2	Mailbox server Client Access server

You need to create a new database availability group (DAG) that contains EX1 and EX2.

Which three actions should you perform?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add the Exchange Trusted Subsystem universal security group to the local Administrators group on Server1.	
Create a new DAG and specify Server1 as the file share witness.	
Install Exchange Server 2013 on Server1.	
Add the Exchange Trusted Subsystem universal security group to the local Administrators group on EX1 and EX2.	
Create a new DAG and let Exchange Server select the file share witness automatically.	
Add EX1 and EX2 to the DAG.	

**Answer:**

Box 1: Add the Exchange Trusted Subsystem universal security group to the local Administrators group on Server1.

Box 2: Create a new DAG and specify Server1 as the file share witness.

Box 3: Add EX1 and EX2 to the DAG.

**NO.7** Your company has a main office and a branch office.

You have an Exchange Server 2013 organization.

The company recently built a new meeting room in the branch office.

You need to ensure that the meeting room is available by using the Room Finder feature in Microsoft Outlook.

Which cmdlet should you run?

- A. Set-MailboxCalendarConfiguration
- B. New-Mailbox
- C. Set-CalendarProcessing
- D. New RemoteMailbox

**Answer:** B

**NO.8** Your company named Contoso, Ltd., has an Exchange Server 2013 organization named contoso.com.

The network contains an Active Directory domain. The domain contains an organizational unit (OU) named SalesOU. SalesOU contains two users named User1 and User2.

Contoso purchases a domain name adatum.com.

You need to change the primary SMTP address of all the users in SalesOU to use the SMTP suffix of adatum.com. The solution must not remove the contoso.com email address.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a new email address policy and apply the policy to the users in SalesOU.

- B. Change the default email address policy to include adatum.com.
- C. Create a new remote domain for adatum.com.
- D. Create a new accepted domain for adatum.com and set the domain type to Authoritative Domain.
- E. Create a new accepted domain for adatum.com and set the domain type to External RelayDomain.

**Answer:** A, D

**NO.9** In Europe, your company has one main office and five branch offices. In Asia, the company has one main office and five branch offices. Each main office contains a data center.

The network contains an Active Directory forest. The forest contains a single domain named contoso.com. Each office is configured as an Active Directory site.

All client computers are joined to the domain.

You plan to deploy Exchange Server 2013 servers to both data centers.

You need to recommend a client connectivity solution that meets the following requirements:

Users who connect from the Internet must be configured automatically to connect to their mailbox by using Outlook Anywhere.

Users from the branch offices must use Outlook Anywhere to connect to the Client Access servers in their respective region.

What should you include in the recommendation?

- A. A service connection point (SCP) in Active Directory and a host (A) record in the public DNS zone
- B. A service location (SRV) record in the internal DNS zone and a service location (SRV) record in the public DNS zone
- C. A service connection point (SCP) in Active Directory and an inbound port rule for TCP 389
- D. A service location (SRV) record in the public DNS zone and an inbound port rule for TCP 389

**Answer:** B

**NO.10** You have an Exchange Server 2013 organization named Contoso. The organization contains a server named Server1 that has Exchange Server 2013 installed. Server1 has the Mailbox server role and the Client Access server role installed.

Server1 has a Send connector for a partner company. The Send connector is configured for Domain Security with a domain named adatum.com.

The only certificate installed on Server1 expires.

You discover that all email messages sent to adatum.com remain in the queue on Server1.

On Server1, you install a new certificate from a trusted third-party.

You need to ensure that the email messages are delivered to adatum.com.

What should you do?

- A. Assign the new certificate to the IIS service.
- B. Send the new certificate to the administrator at adatum.com.
- C. Assign the new certificate to the SMTP service.
- D. Create a new send connector that contains an address space to adatum.com.

**Answer:** C

**NO.11** You have an Exchange Server 2010 organization.

You deploy a server that has Exchange Server 2013 installed.

You plan to install five additional servers that have Exchange Server 2013 installed.

You are a member of the Organization Management management role group.

Your company hires an external IT consultant named Admin1.

The company's security policy states that all external consultants must have the minimum number of required permissions on the network.

You need to ensure that Admin1 can install a server named EX2. The solution must meet the requirements of the security policy.

Which two tasks should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Add Admin1 to the Exchange Server role group.
- B. Create a new management role and a new role assignment policy.
- C. Run setup and specify the/newprovisionectservernex2 parameter.
- D. Add Admin1 to the Delegated Setup management role group.

**Answer:** C, D

**NO.12** You need to install and configure anti-spam and antimalware filtering. Which servers should you install the anti-spam agents and enable the anti-spam and antimalware filtering? (Choose two)

- A. You should install the anti-spam agents on the Client Access Servers only.
- B. You should install the anti-spam agents on the Mailbox servers only.
- C. You should install the anti-spam agents on the Client Access Servers and the Mailbox Servers.
- D. You should enable antimalware filtering on the Client Access Servers only.
- E. You should enable antimalware filtering on the Mailbox servers only.
- F. You enable antimalware filtering on the Client Access Servers and the Mailbox Servers.

**Answer:** B, E

### NO.13 HOTSPOT

You need to recommend a solution to meet the business requirements for users accessing their email messages.

Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)



Answer Area

PrivateComputersOnly

\$true

Answer Area

Set-CASMailbox Set-ClientAccessArray Set-OutlookProvider Set-OWAVirtualDirectory	PrivateComputersOnly -AllowOfflineOn -DirectFileAccessOnPrivateComputersEnabled -OrganizationEnabled -WSSAccessOnPrivateComputersEnabled
\$true -LogonPagePublicPrivateSelectionEnabled -PlacesEnabled -PremiumClientEnabled -PublicFoldersEnabled	

**Answer:**

Set-CASMailbox Set-ClientAccessArray Set-OutlookProvider Set-OWAVirtualDirectory	PrivateComputersOnly -AllowOfflineOn -DirectFileAccessOnPrivateComputersEnabled -OrganizationEnabled -WSSAccessOnPrivateComputersEnabled
\$true -LogonPagePublicPrivateSelectionEnabled -PlacesEnabled -PremiumClientEnabled -PublicFoldersEnabled	

**NO.14** You need to recommend which actions must be performed to meet the technical requirements for the new Contoso users.  
Which three actions should you recommend? (Each correct answer presents part of the solution. Choose three.)

- A. Configure UPN suffix routing.
- B. Configure Contoso to trust Proseware.
- C. Configure Proseware to trust Contoso.
- D. Run the New-Mailbox cmdlet and specify the -AccountDisabled parameter.
- E. Run the New-Mailbox cmdlet and specify the -LinkedMasterAccount parameter.
- F. Create a linked role group.

**Answer:** A, C, E

**NO.15 DRAG DROP**

You need to identify which commands must be run to perform the maintenance window tasks.  
Which commands should you run? (To answer, drag the appropriate commands to the correct tasks. Each command may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Commands	Answer Area
Start-DatabaseAvailabilityGroup	All mounted databases on the server undergoing maintenance must be activated on another server. Command
Stop-DatabaseAvailabilityGroup	All message queues on the server undergoing maintenance must be empty before maintenance can begin. Command
Suspend-ClusterNode <ServerName>	The server undergoing maintenance must be prevented from becoming a PAM. Command
Set-MailboxServer <ServerName> - DatabaseCopyAutoActivationPolicy Blocked	Databases copies on the server undergoing maintenance must not be activated while maintenance is occurring. Command
Set-MailboxServer <ServerName> - DatabaseCopyActivationDisabledAndMoveNow \$True	
Set-ServerComponentState <ServerName> - Component HubTransport -State Draining - Requester Maintenance	
Set-ServerComponentState <ServerName> - Component ServerWideOffline -State Inactive Requester Maintenance	

**Answer:**

All mounted databases on the server undergoing maintenance must be activated on another server.	Set-MailboxServer <ServerName> - DatabaseCopyActivationDisabledAndMoveNow \$True
All message queues on the server undergoing maintenance must be empty before maintenance can begin.	Set-ServerComponentState <ServerName> - Component HubTransport -State Draining - Requester Maintenance
The server undergoing maintenance must be prevented from becoming a PAM.	Suspend-ClusterNode <ServerName>
Databases copies on the server undergoing maintenance must not be activated while maintenance is occurring.	Set-MailboxServer <ServerName> - DatabaseCopyAutoActivationPolicy Blocked

**NO.16** You have an Exchange Server 2013 organization that contains 20 servers. You plan to deploy Exchange Server 2013 RTM Cumulative Update 1 (CU1) to the first Exchange server in the organization.

You need to ensure that a user named ExchangeAdmin can deploy CU1 to the first server, The solution must minimize the number of permissions assigned to ExchangeAdmin.

To which groups should you add ExchangeAdmin?

- A. Schema Admins, Domain Admins, and Enterprise Admins
- B. Schema Admins, Domain Admins, and Delegated Setup
- C. Domain Admins and Organization Management
- D. Enterprise Admins and Organization Management

**Answer:** A

**NO.17** You have an Exchange Server 2013 organization that contains a database availability group (DAG) named DAG1. DAG1 has two members.

You create a mailbox database copy for each database on each DAG member.

You plan to implement a service level agreement (SLA) that meets the following requirements:

All deleted mailboxes must be recoverable for up to six months after they are deleted.

When a mailbox is recovered, the entire contents of the mailbox must be recovered.

You need to recommend a solution that meets the requirements.  
What should you recommend?

- A. Get-Mailbox | Set-Mailbox -RetainDeletedItemsFor 180.00:00:00
- B. Get-MailboxDatabase | Set-MailboxDatabase -MailboxRetention 180.00:00:00
- C. Get-MailboxDatabase | Set-MailboxDatabase -DeletedItemRetention 180.00:00:00
- D. Get-Mailbox | Set-Mailbox -Audit Log Age Limit 180.00:00:00


**Answer:** B

**NO.18** Your network contains an Active Directory forest named contoso.com. The forest contains one domain.

You have an Exchange Server organization that contains three servers. The servers are configured as shown in the following table.

Server name	Role	Exchange Server version
Ex1.contoso.com	Client Access Hub Transport Mailbox	Exchange Server 2010
Ex2.contoso.com	Client Access	Exchange Server 2013
Ex3.contoso.com	Mailbox	Exchange Server 2013

An administrator implements Outlook Anywhere on Exchange Server 2013. Remote users who have a mailbox hosted on EX1 report that they receive the following error message when they attempt to configure a Microsoft Outlook profile.



Remote users who have a mailbox hosted on EX3 can configure an Outlook profile successfully. You need to ensure that the remote users who have a mailbox on EX1 can access their mailbox by using Outlook Anywhere.

What should you do?

- A. On EX2, run Set-OutlookAnywhere
- B. On EX2, run Set-CasMailbox.
- C. On EX1, run Enable-OutlookAnywhere
- D. On EX1, run Set-OutlookAnywhere

**Answer:** C